

# PRODUCT LIST

SAI Stone is Victoria's trusted wholesale supplier of natural stone products and solutions

Established in 2005, SAI Stone's premium stone products can now be found at leading brick, paver and tile stores all across Australia's East Coast

2025



# CONTENTS.

# BY MATERIALS

01	Stone Range
02	Blue Stone
10	Marble
12	Granite
14	Travertine
15	Limestone & Quartz
16	Bricks & Permeable Paving
17	Porcelain

18	Skimmer Lid
19	Slab <i>Bluestone / Marble / Granite / Limestone / Travertine</i>
21	Cobble <i>Bluestone / Marble / Granite / Limestone</i>
22	Crazy Paving <i>Bluestone / Travertine / Quartz</i>
23	Organic Stepper <i>Blueocean Sawn / Blueocean Honed / Honey Comb</i>
24	Wall Cladding <i>Bluestone / Herringbone Pattern / 12mm &amp; 15 mm Thick Paving</i>
25	Pattern <i>(Pattern Series Installation Guide)</i>
27	Extended Stone Application Guide <i>Fireplace, BBQ Top, Window Sill, Door Threshold etc.</i>

29 Processing Language  
*Slip Rating / Edge Profile*

---

30 Local Processing  
*Resizing / Edge Profiling / Waterjet Cutout Service / Thickness Adjustment*

---

31 Templating Service

---

33 Application Photos

---

# Stone Range


## Bluestone




Blue Ocean, Sawn



Blue Ocean, Honed



Antline, Sawn



Lux Black, Flamed

## Permeable



Permeable Paver,  
Made from Recycled Porcelain

## Marble



Antarctica, Sandblasted



Grey Apricot, Sandblasted



Frozen Blue, Sandblasted



Silver Ash, Sandblasted

## Quartz



Stormy Grey,  
Split and Brushed

## Granite



Sesame White, Flamed



Zen Grey, Flamed



New Grey, Flamed



Ash Grey, Flamed



Ken Black, Flamed

## Travertine



Classic Travertine,  
Honed and Filled



Classic Travertine,  
Tumbled and Unfilled



Beige Travertine,  
Tumbled and Unfilled

## Limestone



Belgium Blue,  
Sandblasted



Moonlight Grey,  
Acid Washed & Tumbled

# Bluestone: Blueocean Sawn

Paving, Slip Rating P5

## Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x12	SQM	32	29.88	1000	
300x100x20	SQM	54	25.00	1400	Herringbone Pattern, WSL
400x400x20	SQM	54	16.00	900	
500x500x20	SQM	54	25.00	1400	WSL
600x300x20	SQM	54	18.00	1000	
600x400x20	SQM	54	24.00	1300	
600x600x20	SQM	54	18.00	1000	
800x400x20	SQM	54	16.00	900	
800x800x20	SQM	54	25.60	1400	WSL
995x495x20	SQM	54	24.63	1400	
1000x1000x20	SQM	54	20.00	1100	
1005x500x20	SQM	54	25.12	1400	WSL
1200x600x20	SQM	54	25.20	1400	
400x400x30	SQM	81	10.88	900	WSL
600x300x30	SQM	81	17.82	1500	
600x600x30	SQM	81	12.24	1000	
800x400x30	SQM	81	10.88	900	WSL
495x495x40	SQM	108	11.76	1300	
995x495x40	SQM	108	11.82	1300	
995x495x40	SQM	108	11.82	1300	Heavy sandblasted

## Crazy Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Crazy Paving x20	SQM	54	25.00	1400	1 m2 per layer

## Patterns



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
595x595 / 895x595 / 595x295 / 292x295x20	SQM	54	25.44	1400	Ashlar Pattern 900 series, Sold by m2

\*Refer to the patterns installation guide page.

## Pitcher



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
300-400x200 x60	SQM	165	7.20	1200	Pitchers, top&bottom sawn, 4 sides split

# Bluestone: Blueocean Sawn

Paving, Slip Rating P5

## Cobble on Mesh



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
650x430x20 per sheet x20	SQM	54	19.57	1100	100x100 cobbles on mesh, WSL

## Cobble



Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
All Sides Rockface	100x100x30-40	SQM	108	10.00	1100	Individual pieces



Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled

## Stepper



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500-700x20	PC	20	50.00	1000	
300-500x30	PC	13	66.00	900	
500-700x30	PC	30	34.00	1100	
700-900x30	PC	53	34.00	1900	

## Giant Stepper




Dimension(mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
800-1000x600x150	PC	250	5.00	1300	



# Bluestone: Blueocean Sawn


*Coping, Slip Rating P5*

## Dropface



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/40	PC	15	72.00	1100	
800x400x20/50	PC	18	32.00	600	WSL
600x400x20/60	PC	14	48.00	700	
800x400x20/60	PC	18	32.00	600	
500x500x30/80	PC	22	40.00	900	WSL
800x400x30/80	PC	20	20.00	400	
1005x500x30/80	PC	42	20.00	900	WSL

## Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x30	PC	15	99.00	1500	WSL
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	27	35.00	1000	
1005x350x30	PC	30	35.00	1100	WSL
1005x500x30	PC	41	34.00	1400	WSL

## Bullnose



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x20	PC	10	85.00	900	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	26	35.00	1000	
1005x350x30	PC	30	35.00	1100	WSL

# Bluestone: Blueocean Honed

Paving, Slip Rating P3

## Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x12	SQM	32	29.88	1000	
600x600x12	SQM	32	29.88	1000	WSL
800x400x15	SQM	41	20.80	900	WSL
300x100x20	SQM	54	18.00	1000	Herringbone Pattern, WSL
600x300x20	SQM	54	18.00	1000	
600x400x20	SQM	54	24.00	1300	
600x600x20	SQM	54	18.00	1000	
800x400x20	SQM	54	16.00	900	
800x800x20	SQM	54	25.60	1400	WSL
1005x500x20	SQM	54	25.12	1400	WSL
1200x600x20	SQM	54	25.20	1400	WSL

## Crazy Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Crazy Paving x20	SQM	54	25.00	1400	1 m2 per layer, WSL

## Patterns



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
300x100x20	SQM	54	18.00	1000	Herringbone Pattern, WSL
595x595 / 895x595 / 595x295 / 292x295x20	SQM	54	25.44	1400	Ashlar Pattern, sold by m2, WSL

\*Refer to the patterns installation guide for details.

## Steppers




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500-700x30	PC	30	34.00	1100	

# Bluestone: Blueocean Honed


Coping, Slip Rating P5

## Dropface



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/40	PC	15	72.00	1100	WSL
600x400x20/60	PC	15	48.00	800	
1005x500x30/80	PC	42	20.00	900	WSL

## Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
500x500x30	PC	20	68.00	1400	WSL
600x300x30	PC	15	68.00	1100	WSL
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
800x400x30	PC	27	35.00	1000	WSL

## Bullnose




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x300x20	PC	10	85.00	900	
600x350x30	PC	17	68.00	1200	WSL
600x400x30	PC	20	68.00	1400	
1005x350x30	PC	30	35.00	1100	WSL

# Bluestone: Blueocean Antline

Sawn, Slip Rating P5

## Paving



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20	SQM	54	24.00	1300	
800x400x20	SQM	54	16.00	900	WSL
1005x500x20	SQM	54	25.13	1400	WSL

## Cobble




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled

## Patterns




Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400 / 400x400 / 400x300x20	SQM	54	25.60	1400	Antline Pattern, Sold by m2, WSL

## Dropface



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x20/50	PC	16	48.00	800	
800x400x20/50	PC	20	32.00	700	WSL

## Bevelled Edge



Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
600x400x30	PC	22	67.00	1500	

# Bluestone: Lux Black

*Flamed, Slip Rating P5*



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	800x400x20/50	PC	20	19.00	400	WSL
Bevelled	800x400x30	PC	20	34.00	700	WSL

## Bluestone: Extended Range

Wall Cladding / Cobbles / Pitcher / Organic Table and Seat

### Cladding

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Rockface	600/400/200x200x20-45	SQM	81	15.08	1300	Mix sizes, WSL
Blueocean	Rockface	200x200x20	PC	10	200.00	2000	Corner return 100mm, WSL
Blueocean	Ripple	600x300x20	SQM	54	21.06	1200	WSL



Rockface



Rockface  
Corner Return



Ripple

### Cobbles

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	650x430x20 per sheet	SQM	54	19.57	1100	100x100 cobbles on mesh, WSL
Blueocean Antline	Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled
Blueocean	All Sides Rockface	100x100x30-40	SQM	108	10.00	1100	Individual pieces



Blueocean Sawn  
Cobble on Mesh, P5



Antline Tumbled, P5



Blueocean Rockface, P5

### Pitcher

Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Sawn	300-400x200x60	SQM	165	7.20	1200	Pitchers, top&bottom sawn, 4 sides split



### Bluestone Table and Seat

Name	Dimension (mm)	UoM	kg/UoM	Note
Bluestone Table Set (6 pcs)	900x900x80mm tabletop, 600x600x600mm base, 400x400x400mm stool	SET	2000	
Bluestone Seat 300x300x400	300x300x400	PC	250	
Bluestone Table	700-900x30 tabletop, 600x20mm base	SET	750	



Bluestone Organic Table Set



Bluestone Organic Seat



Bluestone Table

## Marble : Frozen Blue

Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	600x400x20/60	PC	15	36.00	600	
Dropface	800x400x20/60	PC	20	24.00	500	WSL
Bevelled	600x400x30	PC	20	68.00	1400	
Bevelled	800x400x30	PC	26	45.00	1200	WSL



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled

## Marble : Grey Apricot

Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	300x75x12	SQM	32	25.00	800	Honed, Herringbone Pattern, WSL
Paving	300x100x20	SQM	54	25.00	1400	Herringbone Pattern, WSL
Paving	600x400x20	SQM	54	24.00	1300	
Paving	800x400x20	SQM	54	16.00	900	WSL
Dropface	600x400x20/60	PC	15	36.00	600	
Dropface	800x400x20/60	PC	20	24.00	500	WSL
Bevelled	600x400x30	PC	20	64.00	1300	
Bevelled	800x400x30	PC	26	34.00	900	WSL

## Marble : Antarctica White

Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	16	36.00	600	
Bevelled	600x400x30	PC	21	64.00	1400	

## Marble : Silver Ash

Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	36.00	600	
Bevelled	600x400x30	PC	20	64.00	1300	



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled



## Granite: Zen Grey

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x400x30	PC	20	68.00	1400	

## Granite: Ash Grey

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	WSL
Dropface	600x400x20/60	PC	20	48.00	1000	WSL
Bevelled	600x400x30	PC	22	68.00	1500	WSL



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	540x490x20	SQM	54	29.77	1700	90x90 cobbles on mesh. Top flamed, 4 sides split, bottom sawn

## Granite: Ken Black

Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	

## Granite: Sesame White


Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	

## Granite: New Grey


Flamed, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	48.00	800	
Bevelled	600x230x20	PC	11	174.00	2000	New
Bevelled	600x400x30	PC	20	68.00	1400	


## Travertine: Classic

*Tumbled and Unfilled, Slip Rating P4*

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	610x406x12	SQM	32	39.63	1300	
	Paving	610x610x12	SQM	32	39.63	1300	WSL
	Paving	610x406x30	SQM	81	16.35	1400	
	Dropface	610x406x20/60	PC	15	48.00	800	WSL
	Dropface	610x406x30/60	PC	15	48.00	800	New
	Coping	406x406x30	PC	15	66.00	1000	New
	Coping	610x406x30	PC	20	66.00	1400	


## Travertine: Classic

*Honed and Filled, Slip Rating P3*

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	610x305x12	SQM	32	29.77	1000	WSL

## Travertine: Beige

*Tumbled and Unfilled, Slip Rating P4*

	Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
	Paving	610x406x12	SQM	32	39.63	1300	
	Paving	Crazy Pavingx20	SQM	54	22.00	1200	1 m2 per layer
	Paving	610x406x30	SQM	81	16.35	1400	
	Dropface	610x406x20/60	PC	15	48.00	800	WSL
	Dropface	610x406x30/60	PC	15	48.00	800	New
	Coping	610x406x30	PC	20	66.00	1400	



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
French Pattern	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set, 0.744m2/set

## Limestone: Belgium Blue

*Sandblasted, Slip Rating P5*



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x20	SQM	54	24.00	1300	
Dropface	600x400x20/60	PC	15	36.00	600	
Bevelled	600x400x30	PC	20	64.00	1300	



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Cobbles	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled

## Limestone: Moonlight Grey

*Acid & Tumbled, Slip Rating P5*



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	600x400x18	SQM	49	24.00	1200	New
Dropface	600x400x20/60	PC	15	48.00	800	New
Bevelled	600x400x30	PC	20	68.00	1400	New

## Quartz: Stormy Grey

*Natural Split, Slip Rating P5*



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	Crazy Pavingx20-30	SQM	54	25.00	1400	1 m2 per layer
Bevelled	600x300x30	PC	15	122.00	1900	Bevelled edge



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	200-700x30-50x30-50	SQM	89	20.00	1800	Fileti Paving New

## Brick

Reclaimed, Slip Rating P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Charcoal Ochre Blend	Reclaimed	240x115x50	PC	3	532.00	1400	
Red Ochre Blend	Reclaimed	240x115x50	PC	3	532.00	1400	
White Ochre Blend	Reclaimed	240x115x50	PC	3	532.00	1400	
Multicolor Ochre Blend	Reclaimed	240x115x65	PC	4	420.00	1500	



Charcoal Ochre



Red Ochre



White Ochre



Multicolor Ochre

## Permeable Paver

Heavy Sandblasted, Slip Rating P5



Type	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Paving	400x200x55	SQM	112	12.80	1500	Colour Available: Grey

## Porcelain

Textured, Slip Rating P5

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Reefstone Creamy White	Textured	600x600x20	SQM	17	28.80	500	Sold per box (2pcs)
Reefstone Dark Grey	Textured	600x600x20	SQM	17	28.80	500	Sold per box (2pcs)
Reefstone Neutral Grey	Textured	600x600x20	SQM	17	28.80	500	Sold per box (2pcs)
Reefstone Warm Grey	Textured	600x600x20	SQM	17	28.80	500	Sold per box (2pcs)



Creamy White



Dark Grey




Neutral Grey




Warm Grey


## Coper Edge Profiles




**Bullnose**




**Corner Dropface**  
One long and one short edge




**Bevelled**



**Double Dropface**  
Two long edges



**Dropface**  
(Mitre Cut&Glue)



**Triple Dropface**  
Two long and one short edges

## SPECIFICATION DATA

**SIZE** 600 x 600 x 20 (mm)

**PRINT** 6 Prints


**SLIP RATING** P5

**WEIGHT** 16.5 KG/PC (2 PCS/CTN)

**PACKING** 40 CTNS / CRATE

80 PCS / CRATE

28.8 M2 / CRATE




NON-SLIPPERY



HIGH STRENGTH



CORROSION RESISTANT



HIGH RIGIDITY



LOW ABSORPTION



STEADY COST



NO RADIATION



STABLE SUPPLY

## Skimmer Lid Kit



Stone is not included

### SAI Skimmer Lid Kit (Stainless Steel) 342x342x20mm

**Dimension** Frame Size 342 x 342mm  
Inlay Thickness: 15 ~ 22mm

**Kit Content**

- Stainless Steel Outer Frame
- Stainless Steel Inlay Lid
- Height Adjuster
- Stainless Steel Safety Key

### AQUEA Skimmer Lid Kit (Polymers) 342x342x20mm



**Dimension** Frame Size 342 x 342mm  
Inlay Thickness: 15 ~ 22mm

**Kit Content**

- Polymers Outer Frame
- Polymers Lid Assembly
- Spacer Plate
- Stainless Steel Lid Key
- Adhesive & Nozzle
- Grouting Plugs

# Slab Series

## Bluestone


Color	Finish	Dimension (mm)	UoM	Note
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x20	PC	
Blueocean Antline	One Side Sawn & One Side Honed	1500x800x30	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x30	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x40	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x50	PC	
Blueocean	One Side Sawn & One Side Honed	1600-1800x810x60	PC	



Blueocean Sawn, P5



Blueocean Honed, P3



Antline Sawn, P5

## Marble

Color	Finish	Dimension (mm)	UoM	Note
Silver Ash	One Side Sandblasted & One Side Honed	1200-1600x600x30	PC	
Antarctica White	One Side Sandblasted & One Side Honed	1500x600x30	PC	
Grey Apricot	One Side Sandblasted & One Side Honed	1500x800x30	PC	
Frozen Blue	Sandblasted	1600x600x30	PC	
Frozen Blue	Sandblasted	2000x600x30	PC	



Frozen Blue, P5



Grey Apricot, P5



Antarctica White, P5



Silver Ash, P5



Slab Example (Moonlight Grey)



## Slab Series Cont.

### Granite

Color	Finish	Dimension (mm)	UoM	Note
Angola Black	One Side Flamed & One Side Honed	2200x1000x30	PC	
Zen Grey	One Side Flamed & One Side Honed	2000x1400x30	PC	



Angola Black Flamed



Angola Black Honed



Zen Grey Flamed



Zen Grey Honed

### Limestone

Color	Finish	Dimension (mm)	UoM	Note
Moonlight Grey	One side honed & One side Acid+Brushed	2400x750x18	PC	
Moonlight Grey	One side honed & One side Acid+Brushed	2400x1500x18	PC	
Belgium Blue	One Side Sandblasted & One Side Honed	1000-1600x600x30	PC	
Belgium Blue	One Side Sandblasted & One Side Honed	1500x800x30	PC	



Belgium Blue  
Sandblasted



Moonlight Grey,  
Acid Washed & Tumbled

### Travertine

Color	Finish	Dimension (mm)	UoM	Note
Classic	Honed & Filled	2500x750x30	PC	
Classic	Honed & Filled	2500x1500x30	PC	



Classic Honed & Filled  
Slip Rating P3

\*Edges are unfilled

## Cobble Series

### Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	650x430x20 per sheet	SQM	54	19.57	1100	100x100 cobbles on mesh, WSL
Blueocean Antline	Tumbled	100x100x30	SQM	81	15.00	1300	Individual pieces, tumbled
Blueocean	All Sides Rockface	100x100x30-40	SQM	108	10.00	1100	Individual pieces



Blueocean Sawn Cobble on Mesh, P5



Antline Tumbled, P5



Blueocean Rockface, P5

### Marble

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Frozen Blue	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled
Silver Ash	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled



Frozen Blue, P5



Silver Ash, P5

### Limestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Belgium Blue	Tumbled & Sandblasted	100x100x20	SQM	54	18.00	1000	Individual pieces, tumbled



Belgium Blue 100x100x20, P5

### Granite

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Ash Grey	Flamed	540x490x20	SQM	54	29.77	1700	90x90 cobbles on mesh. Top flamed, 4 sides split, bottom sawn



Ash Grey Cobbles on Mesh, P5

## Crazy Paving Series

### Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	Crazy Pavingx20	SQM	54	25.00	1400	1 m2 per layer
Blueocean	Honed	Crazy Pavingx20	SQM	54	25.00	1400	1 m2 per layer, WSL



Blueocean Sawn, P5



Blueocean Honed, P3

### Travertine

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Beige	Unfilled	Crazy Pavingx20	SQM	54	22.00	1200	1 m2 per layer



Beige Travertine, P4

### Quartz

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Stormy Grey	Brushed	Crazy Pavingx20-30	SQM	54	25.00	1400	1 m2 per layer



Stormy Grey, P5

## Organic Stepper Series

### Bluestone Sawn

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	500-700x20	PC	20	50.00	1000	
Blueocean	Sawn	300-500x30	PC	13	66.00	900	
Blueocean	Sawn	500-700x30	PC	30	34.00	1100	
Blueocean	Sawn	700-900x30	PC	53	34.00	1900	



Blueocean Stepper Sawn, P5

Color	Finish	Dimensiona(mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	800-1000x600x150	PC	250	5.00	1300	



Blueocean Giant Stepper, Sawn, P5

### Bluestone Honed

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Honed	500-700x30	PC	30	34.00	1100	



Blueocean Stepper Honed, P3

### Limestone Sandblasted

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Sinai Pearl	Sandblasted	500-700x20	PC	20	50.00	1000	



Sinai Pearl Stepper Sandblasted, P5

## Wall Cladding Series

### Bluestone

Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Rockface	600/400/200x200x20-45	SQM	81	15.08	1300	Mix sizes, WSL
Blueocean	Rockface	200x200x20	PC	10	200.00	2000	Corner return100mm, WSL
Blueocean	Ripple	600x300x20	SQM	54	21.06	1200	WSL



Rockface



Rockface  
Corner Return



Ripple

### Herringbone Pattern

Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Marble	Grey Apricot	Honed	300x75x12	SQM	32	25.00	800	WSL
Bluestone	Blueocean	Honed	300x100x20	SQM	54	18.00	1000	WSL
Marble	Grey Apricot	Sandblasted	300x100x20	SQM	54	25.00	1400	WSL
Bluestone	Blueocean	Sawn	300x100x20	SQM	54	25.00	1400	WSL



### 12mm & 15mm Thick Tiles

Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Bluestone	Blueocean	Sawn	600x300x12	SQM	32	29.88	1000	
Bluestone	Blueocean	Honed	600x300x12	SQM	32	29.88	1000	
Bluestone	Blueocean	Honed	600x600x12	SQM	32	29.88	1000	WSL
Bluestone	Blueocean	Honed	800x400x15	SQM	41	20.80	900	WSL
Travertine	Classic	Tumbled & Unfilled	610x406x12	SQM	32	39.63	1300	
Travertine	Classic	Tumbled & Unfilled	610x610x12	SQM	32	39.63	1300	WSL
Travertine	Classic	Honed & Filled	610x305x12	SQM	32	29.77	1000	WSL
Travertine	Beige	Tumbled & Unfilled	610x406x12	SQM	32	39.63	1300	
Travertine	Beige	Tumbled & Unfilled	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set, 0.744m2/set

## Pattern Series

\* Please see installation guide next page

### Herringbone



Stone	Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Bluestone	Blueocean	Honed	300x100x20	SQM	54	18.00	1000	WSL
Bluestone	Blueocean	Sawn	300x100x20	SQM	54	25.00	1400	WSL
Marble	Grey Apricot	Sandblasted	300x100x20	SQM	54	25.00	1400	WSL
Marble	Grey Apricot	Honed	300x75x12	SQM	32	25.00	800	WSL

### Blue Ocean Ashlar Pattern 900 Series 20mm Thick



Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean	Sawn	595x595 / 895x595 / 595x295 / 292x295x20	SQM	54	25.44	1400	Ashlar Pattern 900 series, Sold by m2
Blueocean	Honed	595x595 / 895x595 / 595x295 / 292x295x20	SQM	54	25.44	1400	Ashlar Pattern, sold by m2, WSL

### Bluestone Antline French Pattern 20mm Thick



Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Blueocean Antline	Sawn	600x400 / 400x400 / 400x300x20	SQM	54	25.60	1400	Antline Pattern, Sold by m2, WSL


### Travertine French Pattern 12mm Thick



Color	Finish	Dimension (mm)	UoM	kg/UoM	UoM/pallet	kg/pallet	Note
Beige	Tumbled & Unfilled	610x406 / 406x406 / 406x203 / 203x203x12	SQM	32	38.66	1300	Sold by set, 0.744m2/set

# Pattern Series Installation Guide


## Blue Ocean Ashlar Pattern 900 Series



**3.18 SQM/set**

- A: 595 x 595 mm 4pcs/set
- B: 895 x 595 mm 2pcs/set
- C: 595 x 295 mm 2pcs/set
- D: 295 x 295 mm 4pcs/set


## Blue Ocean Ashlar Pattern 600 Series



**2.2 SQM/set**

- A: 295x 295 x 20 mm 5pcs/set
- B: 595 x 295 x 20 mm 4pcs/set
- C: 595 x 595 x 20 mm 3pcs/set


## Bluestone Antline French Pattern



**1.28 SQM/set**

- A: 600 x 400 x 20 mm 2pcs/set
- B: 400 x 400 x 20 mm 2pcs/set
- C: 400 x 300 x 20 mm 4pcs/set

## Travertine French Pattern



**0.744 SQM/set**


- A: 610 x 406 x 12 mm 1pcs/set
- B: 406 x 406 x 12 mm 2pcs/set
- C: 406 x 203 x 12 mm 1pcs/set
- D: 203 x 203 x 12 mm 2pcs/set

## Extended Stone Application Guide

(L:Locally = size adjustment / miter and glue, O:Overseas = one solid piece, S: Standard Stock)


### Drop options: Multiple drops as one piece

#### Double Dropfaces




##### Internal corner drop - (L/O)

- Ideal for pool corner



##### External corner drop - (L/O)


- Ideal for stair side end
- Spa corner



##### Dropfaces on both long edges - (L/O)

- Ideal for riser spa
- Wall capping

#### Triple Dropfaces



##### Drop on both long edges and one short edge - (L/O)

- Ideal to be used as spa overflow end pieces
- Wall capping end pieces

## Stepping Stone Options

#### Round Steppers



##### Full circle steppers - (L/O/S)

multiple colour / stone / size / thickness available



##### Organic steppers - (L/S)


multiple colour / stone / size / thickness available

#### Strip steppers



##### Billets, random length - (L/O/S)

multiple colour / stone / size / thickness available



##### Regular steppers - (L/O/S)

1000x500, 1200x600, plus more sizes available for order



**Dividing options:** for windows / doors and outdoor paving




**Kerbs - (O/S)**

600x100x100, more sizes available for order




**Edge pavers - (L/O/S)**

600x200x20, more sizes available for order



**Sills - (L/O)**


For windows / doors, available in different profiles



**Thresholds - (O)**


Multiple colour / stone / size / thickness available

**Featured Ground Covers**



**Cobbles - (O/S)**


Ideal for drive way, or to be featured in outdoor paving areas



**Pitchers - (S)**

Locally sourced chiselled Bluestone pitchers

**Extra larger Applications**




**Hearth - (L/O/S)**

Any size within up to 1600 x up to 500 x30mm

1 long + 2 short edges beveled

Fixed Price



**Bench-top - (L/O)**

Any size within up to 1600 x up to 500 x30mm

1 long + 2 short edges beveled

Fixed Price

# Processing Language


## Slip Rating

A Slip Rating is a test of a tile surface and its Slip Resistance.

These ratings have been developed according to Australian Standards and help with the selection of tiles where safety is a priority.

A tile with a rating between P0-P3 is generally considered suitable for indoor flooring while a P4 or P5 has a lower slip risk and can be used outside or around a pool.


## Edge Profile




**Top Bevelled**




**Bullnose**



**Mitre Cut and Glue,  
Dropface**



**Mitre Cut**



**Top Bevelled**



**Half Bullnose**



**Top and Bottom  
Pencil Edge**



**Bullnose  
Dropface**



**Recess  
Cut Edge**


## Local Processing

### Resizing

Resizing - SAI can resize from our slab stocks (slab sized up to 2000x810) to meet your oversize requirements. Bulk processing available.


**Paver** - If our standard range paver sizes can not meet your requirement, we can resize them into your desired size

**Paver** - SAI can resize from our slab stocks (slab sized up to 2000x810mm) to meet you oversize requirements.




### Edge Profiling


Utilizing SAI's templating service, you are guaranteed a perfect match for a curved corner, curved step or a curved pool.



Bevelled




Mitre Cut




Mitre Cut and Glue,  
Dropface

### Cutout Service (Waterjet)



### Thickness Adjustment

We can adjust our standard range paver thickness to fit into your project.



40mm → 35mm

30mm → 20mm


20mm → 17mm

# Templating Service



### 01. Confirm Stone

Ali stones available: bluestone, granite, marble, travertine and limestone.



### 02. Confirm Edging

All profiles available: dropface, square edge, bullnose.




### 03. Confirm On-site Templating

Templating is a digitisation service which ensures perfect match for pool and copings.



### 04. Consider Job Done

Subject local or overseas processing, leading time varies from 3 weeks to 10 weeks.



## Templating Checklist

Please attach site photos:

Site address:

Site contact details:

Name:

Contact Number:

Role:

What do you need templated?

Pool/Spa Retaining Wall Other: (specify)

Pools:

Is this a new pool build or a renovation?

### **New Builds -**

What type of pool is it? Concrete or Fiberglass

Concrete- Has the pool been rendered and are there waterline tiles?

If No, when will the pool be getting rendered and tiled?

### **Renovation -**

What type of pool is it? Concrete or Fiberglass

### **Concrete-**

Are the existing copers still on the pool?

If yes, can we see the back of the beam?

If not, can we remove some of the existing copers if required?

Will the existing tiles be removed or replaced?

If being replaced, when will the new waterline tiles be installed?

Does the pool have radius with straights?

Are we doing just the radius?

Have other external pavers already been laid?

If other external paving has been laid, will we need to integrate the existing paving lines into the copers or do you want them as a standalone boarder to the pool?

**Integrated -** advise the customer that we need to scan the whole pool to be able to do this

Are the rear of the copers meeting pavers around all edges of the pool?

If not, what happens on those edges? Is there an overhang or a drop face?

What size drop face?

What size overhang do you want?

What size will your grout joins be?

(ie; 3, 4, 5mm)

Are your copers getting cut from pavers or custom?

Custom- Do you have a preferred average size?


Pavers- What size are the pavers?

L mm

W mm

D mm


## Applications Photos



1. Blueocean, sawn
2. Blueocean, honed
3. Sesame White
4. Ken Black
5. Ash Grey
6. Antline Cobbles



## Applications Photos



1. Silver Ash
2. Frozen Blue
3. Grey Apricot
4. Belgium Blue
5. Stormy Grey
6. Classic Travertine



## Applications Photos



1. Bluestone Sawn

2. Silver Ash

3. Zen Grey

4. Herringbone Bluestone

5. Grey







## **WAREHOUSE**

5 Hamilton St, Oakleigh,  
VIC 3166, Australia

## **CONTACT US**

1300 855 851